



Vitale Lebensräume • Elektrobiologie • Technische und biologische Gutachten
Ingenieurbüro "Gesundes Bauen und Wohnen" • Gartenstr. 26 • 98553 Schleusingen

Dipl.-Ing. Paul Sommer

C E R T I F I C A T E

To the investigation and estimation of the variation of the biological quality of mineral water sample out of Japan being vitalized in the Aladdin carafe of TC energy design Ltd. under use of biological fair procedures.

Client: TC energy design Ltd.
Ing. Thomas Chochola
Hauptstr. 17
A- 3871 Nagelberg

Estimation object: 3 different mineral water samples
Original filling of japanese manufacturers

Date: June 7, 2006

A publication is allowed only in full wording. One in excerpts duplication or reproduction needs the approval of the author.

Fon +49 (0)36841 31480 • Fax +49 (0)36841 31481 • eMail: paulsommer@purquell.com
Steuernr: 171 275 02536, UST-ID: DE 150996582, Bankverbindung: Raiffeisenbank Schleusingen,
BLZ 840 690 65 • Kto.-Nr. 27766 • IBAN DE39 8406 9065 0000 0277 66 • BIC GENODEF1SSG

Problem definition

Water is an essential raw material and our quality of life stands in direct relation to the biological quality. The term "biological quality" expresses itself not only in the absence by pollutant, but rather above all in the existence of vitality.

In the last years scientists like Jacques Benveniste or Dr. Masaru Emoto published many proofs for the "memory of the water", nevertheless the question if water can store information is being discussed by the science very debatable. From scientific point of view water is reduced simply on the formula H₂O. No meaning at all is measured out the different structures of the clusters that change its ties already through external conditions, like pressure, temperature or stream.

Crystal pictures are convincing evidence that the water structure can change through the entry of any energetic information both in a way that promotes or weakens organisms. There is evidence that the water and its structures should be a proper central place in the medicine and the nature well-being procedures. The palette of future uses of "living water" could be used by the basic "vitalizing" up to the special information enrichment, for example for the promotion of the metabolism process, for biological regeneration or for the decontamination of the organism.

The memory function of the water is also confirmed through the observation that allergic persons in spite of the use of water filters or reverse osmosis are having problems with the drinking water. The filtration and technical processing does not delete the information of the chemical residues of agricultural fertilizers and herbicides and/or of medicine in the drinking water.

The same applies to technically produced mineral waters, whose biological quality also can be considerably disturbed by the technical processing. The distribution in PET-bottles holds the danger of dissolving diluents and acetaldehyde.

An estimation of the vitality of foods is not yet possible through technical measuring instruments because the oscillation model of these information patterns works without matter. Only through biological measurement procedures it is to be belayed if the order degree of an organism is raised or sunken by the biological quality of the water. The drinking of unstructured water leads to a weakening of the organism because for the formation of crystalline structures in the body water additional energy must be raised.

It was the conceptual formulation to judge 3 different original mineral water samples of Japanese manufacturers in its biological quality and to assess the energetic variation after being vitalized in the Aladdin carafe of the firm TC energy design Ltd. Just as should be assessed, which alteration of the frequencies contained in the original water (= information) results from the vitalization in the Aladdin carafe of the firm TC energy design Ltd.

1. Protocol of the biological measurement

Place of measurement: Engineer- and Expert Office
Dipl.-Ing. Paul Sommer, Gartenstr. 26, D-98553 Schleusingen

Day of measurement: June 1, 2006

Fair object: 3 different mineral waters of Japanese manufacturers in unopened special packaging out of cork to the protection from information variation.



Measuring instrument for ascertainment of biological frequencies:

Rayometer PS 10 from Rayonex



Dipl.-Ing. Paul Sommer made the measurements.

1.1 Trial construction and fair process

The investigation resulted in a harmonized office room so that variations of the information pattern by geo-biological interfering fields or electronic smog by the surrounding field were reduced.

During the extraction of the samples the original bottles of the Japanese manufacturers and also the Aladdin carafe were protected through aluminium foil in order to avoid variation of the information pattern through body own oscillation.



The fair process for the 3 mineral waters happened in the same way:







- Sample removal out of the original bottle into the measuring cup,
- measurement of the biological quality [Bovis units] with Biotensor,
- logging of the single-frequencies in the original water.
- Pouring a sample quantity into the Aladdin carafe (max. 1 minute time for vitalizing),
- Sample removal out of the Aladdin carafe into the measuring cup,
- measurement of the biological quality [Bovis units] with Biotensor,
- logging of the single-frequencies in the vitalized water.
- cleaning of the measuring cup and the Aladdin carafe.

1.2 Working details during vitalizing water in the Aladdin carafe

From the viewpoint of the examiner through the following elements water in the Aladdin carafe is being vitalized and therefore given an increase of the biological quality:


- The well-balanced form of the Aladdin carafe of the firm TC energy design Ltd. with its harmonious lines demonstrates the universal expansion of light, information and consciousness. Similarly, like sound figures are caused by tone oscillation, standing waves in the Aladdin carafe are activating and boosting cosmic ancestral informations who are present in each water as a living germ and therefore being realized as source of life.
- The symbol powers of the „Flower of Life“, which is burned in into the bottom of the Aladdin carafe, works with its information structures supplementary like a geometric code of the creation matrix and therefore contributes to the increase of the biological quality.




Mineral water sample 1	Mineral water sample 2	Mineral water sample 3																		
																				
Comment:	Comment:	Comment: Strong smell of chlorine																		
Biological quality: Bovis units original: 500BE [Angström] Wavelength \approx 50 nm	Biological quality: Bovis units original: 1.500BE [Angström] Wavelength \approx 150 nm	Biological quality: Bovis units original: 500BE [Angström] Wavelength \approx 50 nm																		
Bovis units after 1 minute Aladdin carafe: 18.500 BE [Angström] Wavelength \approx 1.850 nm	Bovis units after 1 minute Aladdin carafe: 18.500 BE [Angström] Wavelength \approx 1.850 nm	Bovis units after 1 minute Aladdin carafe: 18.500 BE [Angström] Wavelength \approx 1.850 nm																		
<p style="text-align: center;">Vergleich der biologischen Qualität Wasserprobe 1</p>  <table border="1" style="margin-top: 10px;"> <caption>Data for Sample 1 Chart</caption> <thead> <tr> <th>Sample</th> <th>Bovis units</th> </tr> </thead> <tbody> <tr> <td>Original</td> <td>500</td> </tr> <tr> <td>Aladin</td> <td>18500</td> </tr> </tbody> </table>	Sample	Bovis units	Original	500	Aladin	18500	<p style="text-align: center;">Vergleich der biologischen Qualität Wasserprobe 2</p>  <table border="1" style="margin-top: 10px;"> <caption>Data for Sample 2 Chart</caption> <thead> <tr> <th>Sample</th> <th>Bovis units</th> </tr> </thead> <tbody> <tr> <td>Original</td> <td>1500</td> </tr> <tr> <td>Aladin</td> <td>18500</td> </tr> </tbody> </table>	Sample	Bovis units	Original	1500	Aladin	18500	<p style="text-align: center;">Vergleich der biologischen Qualität Wasserprobe 3</p>  <table border="1" style="margin-top: 10px;"> <caption>Data for Sample 3 Chart</caption> <thead> <tr> <th>Sample</th> <th>Bovis units</th> </tr> </thead> <tbody> <tr> <td>Original</td> <td>500</td> </tr> <tr> <td>Aladin</td> <td>18500</td> </tr> </tbody> </table>	Sample	Bovis units	Original	500	Aladin	18500
Sample	Bovis units																			
Original	500																			
Aladin	18500																			
Sample	Bovis units																			
Original	1500																			
Aladin	18500																			
Sample	Bovis units																			
Original	500																			
Aladin	18500																			
aufbauend – promoting, schwächend - weakening																				

Variation of the biological frequencies through the Aladinkaraffe


Mineral water sample 1
Original frequencies




Mineral water sample 2
Original frequencies




Mineral water sample 3
Original frequencies




Frequencies after Aladdin carafe



Frequencies after Aladdin carafe



Frequencies after Aladdin carafe



3. Analysis of the fair results

In this investigation solely the comparison of the change of the **biological quality** and the **frequency pattern** of original mineral waters delivered from Japanese manufacturers takes place, before and after being vitalized in the Aladdin carafe of the firm TC energy design Ltd.

A chemical analysis of the contained minerals and/or the investigation with respect to pollutant, bacteria, Coliforme and germs is not contained to the extent of the expert opinion.

The frequency values were determined in the distance of 0.5 Hz with the Rayometer PS 10 in order to show the variation of the spectrum before and after the vitalization globally. In between lying frequencies (for example from minerals to the frequency basic value of the periods system) were not tested because through the vitalization in the Aladdin carafe anyway results no chemical variation of the original water.

In the analysis of the biological quality, all 3 original mineral waters gave values between 500 – 1,500 Angström. They are clearly under the energetic turning point that is required for the increase of the order of a living system. The drinking of the mineral water in the original bottles leads sooner to a reduction of the order straight of the organism, which must be balanced again through conveyance of body own energy.

After being vitalized in the Aladdin carafe all 3 water samples showed a constant energy value of 18,500 Angström. The biological quality of the water vitalized in the Aladdin carafe lies in this investigation therewith constantly 200% over the energy turning point. The water out of all 3 samples after the vitalization has a beneficial, constructing effect for the organism.

The representation of the frequency pattern contained in the water in the charts on page 6 (upper row) shows already differences between the original water samples. The water sample 3, with a distinctive chlorine smell, has the slightest information spectrum.

After the vitalization in the Aladdin carafe, in all 3 mineral water samples a clear increase at frequencies and a postponement of the spectrum vis-à-vis the original can be observed. The trend of the postponement of the frequency spectrum through the essence of the Aladdin carafe is approximately same. After the vitalization water sample 1 shows an information field with strong structureblocks, in water sample 2 a part of the "basic oscillation" of the Aladdin carafe seems extinguished by overlay with the original frequencies of the water. The variation of the frequency pattern during vitalization is influenced after our previous investigations also of the minerals contained in the water.

Based on frequency basic values well known of the humane medicine (Rayonex, bio-resonance after Paul Schmidt) is to be diverted, on which organs, systems or cells the frequency patterns in the water can perform an effect.

In a biological quality far under the energetic turning point of 6,500 Angström it is assumed that the frequencies contained in the original water are weakening exactly these organs, systems or cells, which use this oscillation as a working frequency.

It is noticeable, that in all 3 original waters the structure areas of 0-10 Hz and 90-100 Hz are more strongly frequented. The weakening effect can affect the sensitive ranges and centers active in this frequency range, like:

- basal core (0.0 Hz),
- Spinal column and volume disks (2.0, 2.5 Hz),
- Sympathicus and vagus, vegetative nerve system (2.5 Hz. 95.5 Hz),
- Hormone household man and woman (2.5, 3.0 Hz),
- Brain (4.5 Hz, 90.0 Hz, 95.0 Hz),
- Sleep control (5, 0 Hz),
- Limbic center (5.0 Hz),
- Small brain (90.0 Hz),
- Thalamus (91.0 Hz),
- Dream center (97,5)

After the vitalization of the water samples in the Aladdin carafe, the above-mentioned frequency ranges are not be laid, also the biological frequency of electronic smog (99.5 Hz) in all 3 mineral waters is deleted. Through the vitalization in the Aladdin carafe, the biological quality of each original water sample raises itself to 200% over the energetic turning point. The vitalized water therefore can increase the order degree of a living system. The frequency pattern changed after the vitalization can interact in a beneficial way by resonance on organs and areas of the organism.

In analysis of the results of all 3 water samples this investigation the statement can be encountered that by the harmony of form and symbolism water in the Aladdin carafe of the firm TC energy design Ltd contains essential informations, that are especially beneficial for following organ systems:

Frequency ranges 10.0 – 15.0 Hz.

- General charge, (10.0 Hz),.
- Nerve center (10.0 Hz),.
- Spleen (11.5 Hz),.
- Healing center, life energy (12.5 Hz),.
- Solarplexus, control (15.0 Hz)

Frequency ranges 40.0- 50.0 Hz.

- Heart center, heart control (40.0 Hz – 47.0 Hz),.
- Skin renewal (41.5 Hz),.
- Stress regulation (43.5 Hz),.
- Musculature (45.0 Hz),.
- Metabolism (46.0 Hz).
- Heart circulation (47.5 Hz).
- Circulation stabilization (48.0 Hz),.
- Blood pressure regulation (48.50 Hz)

Frequency ranges 50.0 – 60.0 Hz.

- Kidneys, next to kidneys (53.0 – 54.0 Hz),.
- Liver (56.0 Hz),.
- Stomach, stomach acid, colon (58.0 – 60.0 Hz)

Frequency ranges 70.0 – 80.0 Hz.

- Throat chakra (70.0 Hz),.
- Visual center (70.0 Hz),.
- Lung (72.0 Hz),.
- Lymph system (75.0 Hz),.
- Draining of the body (79.0 Hz),.
- Thymus I (79.0 Hz),.
- Nerve rain ration, cell renewal of the organs (79.5 Hz)

Frequency ranges 80.0 – 90.0 Hz.

- Skin center (85,0Hz),
- Heart chakra (85,0),
- Blood circulation in body tissues (85.5 Hz),
- Urine system (88.0 Hz),
- Navel chakra (90.0 Hz)

This information pattern, which is to be discovered after the vitalization of only 1 minute in the Aladdin carafe of the firm TC energy design Ltd. in all 3 mineral water samples, can support essential processes in the metabolism of the organism through resonance and can influence harmonizing the nerve system. The organism therewith is available a biologically high-value water, which needs no further processing. The disaggregation process of the metabolism is supported in contrast to the original mineral waters yet with valuable information that also in addition can encourage the natural healing powers of the body.

Schleusingen, 13.06.2006
Paul Sommer Dipl. - Ingenieur

